



PGS INDUSTRIES SOLUTIONS PRIVATE LIMITED

PGS Industries Solutions is a trading and manufacturing company established in 2023 that specializes in providing high quality solutions of every industries. We often focus on innovation, research and development to stay ahead in their field. PGS Industries Solutions was established by **Mr. Prashant Sisodiya, Mr. Pawan Kumar Pundhir & Mr. Hemant Singh Khetwal**, marking its inception as a company dedicated to excellence and innovation in its industry. Guided by its core values of honesty, integrity, and reliability.

PGS is committed to meeting the needs of modern businesses.

On behalf of the entire team at PGS INDUSTRIES SOLUTIONS PRIVATE LIMITED, I would like to extend our heartfelt gratitude for your continued support and trust in our products and services. Your patronage inspires us to constantly strive for excellence and deliver the best possible solutions to meet your evolving needs. Thank you once again for your unwavering support and trust in PGS Industries Solution Private Limited. We look forward to continuing our journey with you, creating innovative solutions and a brighter future together.

OUR CLIENTS



ISO 9001:2015 CERTIFICATE

(QUALITY MANAGEMENT SYSTEM)



Certificate of Registration

This is to certify that

PGS INDUSTRIES SOLUTIONS PRIVATE LIMITED
PLOT NO.4 SURAJPUR MAIN DADARI ROAD NEAR KOTAK MAHINDRA BANK GREATR
NOIDA GAUTAM BUDH NAGAR, U.P.-201306, INDIA

has been independently assessed by QRO
and is compliant with the requirement of:

ISO 9001:2015

Quality Management System

For the following scope of activities:

MANUFACTURING AND SELLING OF ADHESIVE PRODUCTS LIKE GLUE.

Date of Certification: 27th September 2024
1st Surveillance Audit Due: 26th September 2025

2nd Surveillance Audit Due: 26th September 2026
Certificate Expiry: 26th September 2027

Certificate Number: 305024092729Q



Chauhan ..
Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit.
(In case surveillance audit is not allowed to be conducted; this certificate shall be suspended / withdrawn).

The Validity of this certificate can be verified at www.qrocert.org

This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

India Office : QRO Certification LLP

142, 1st Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)
Website : www.qrocert.org, E-mail : info@qrocert.org

OUR PRODUCTS

- ❖ **Mezzanine Structure**
- ❖ **Smart Conveyor Systems & Projects Work**
- ❖ **Cellular Manufacturing System**
- ❖ **Modular Clean Room with Air Shower**
- ❖ **Modular Clean Room's Accessories (ESD Products)**
- ❖ **PU Hose Tube & Pneumatic Fittings**
- ❖ **SPM (Special Purpose Machine)**

MEZZANINE STRUCTURE



SMART CONVEYOR SYSTEMS



BELT CONVEYOR



- ✓ Its widely used in electronics, home appliances, food, automobiles, motorcycles and other industries of partial assembly transportation. Simple structure, convenient maintenance, reliable operation.
- ✓ Belts, frames, countertops and brackets can be customized according

U-TURN & STRAIGHT CONVEYOR



Main Functions & Characteristics

- ✓ The turning Angle of the turning machine can be divided into 90 degrees or 180 degrees. The fan belt is equipped with a special anti-deviation roller, and the guide bar can be welded on the outside of the conveyor belt to make the conveyor belt run in a special guide rail.
- ✓ The roller can be coated or galvanized.
- ✓ The turning machine can be sent a wide variety of materials, both can transport a variety of bulk materials, but also can transport a variety of cartons, bags and other

CHAIN CONVEYOR



Main Functions & Characteristics

- ✓ Effectively save the use of space, quickly improve the productivity of workers, clean work to enhance the company image, accept private customized design according to demand.
- ✓ Single-side with hand adjustment mechanism, power output, the use of high-quality stainless steel nylon chain, smooth operation and no noise, can avoid damage to the conveyor, the frame is made of aluminum alloy, easy installation, high stability, simple and beautiful.

SLAT CONVEYOR



Main Functions & Characteristics


- ✓ Chain plate wire is a kind of transmission equipment. Driven by the motor reducer, the conveying surface is smooth and smooth, the friction is small, and the transition between the material and the is smooth, especially for carrying heavy products.
- ✓ **Material:** Carbon steel, Stainless steel. According to the needs of your products can choose different widths, different shapes of the chain plate to complete the plane conveying, lifting, falling and other requirements.
- ✓ **Uses:** Widely used in hardware, food, canned food, medicine, beverages, cosmetics and washing supplies, such as automatic transportation, distribution, and packaging line transportation; It can meet the hygiene requirements of food and beverage industry.

INCLINED CONVEYOR




The climbing conveyor is generally used for the continuous transportation of bulk materials, which can transport materials from the initial feeding point to the unloading point, and adopts the wave-shaped flange and transverse partition conveyor belt, which is especially suitable for vertical 90° transmission and improves the production efficiency of enterprises.

TURNING & STRAIGHT ROLLER CONVEYOR



- ✓ **Roller Material:** Galvanized, aluminized, stainless steel, PVC material, etc.
- ✓ **Roller Form:** Double sprocket cone flow cylinder: o groove drum, ordinary cone drum.
- ✓ **Roller Length:** Generally 500~1200mm; Can be customized according to user needs.
- ✓ **Wire Body Support:** Stainless steel, aluminum profile, carbon steel spray, etc.
- ✓ **Transmission Speed:** Generally 10~30M/min, according to user needs to use

FLEXIBLE ROLLER CONVEYOR




- ✓ **Free Stretch:** Does not take up storage space.
- ✓ The high and low drop makes the conveying goods slip freely, without the motor, which can effectively control the cost.
- ✓ The fuselage can be bent arbitrarily, change the Angle direction, can be work in different terrain and space. Round tube leg, height adjustable, universal caster with brake, bearing 30-50KG per meter.

FOOD-GRADE BELT CONVEYOR



- ✓ PU belt material to achieve non-toxic, harmless and clean, temperature resistance up to 50-150, more breathable, environmental protection, accurate matching food, pharmaceutical, daily chemical factory. Efficient delivery of breads, pastries, vegetables, fruits, tea and other materials.
- ✓ Large throughput, simple structure; Easy maintenance, standardized components.
- ✓ Can be a single conveying, can also be combined with other conveying equipment to form a horizontal or inclined conveying system to meet the needs of different layout types of lines; Smooth transport, avoid damage to the transport.

SORTING CONVEYOR




- ✓ Standardized sorting action, less impact on the package.
- ✓ Meet the fast and accurate sorting of goods with many types in small venues.
- ✓ Original corner technology greatly reduces noise, easy disassembly and assembly, and high cost performance.
- ✓ Good scalability, can be connected with various information management systems and platforms of customers, and has strong adaptability.
- ✓ Support automatic code scanning, automatic weighing, automatic measurement of cargo size, saving the

ALUMINUM PARTITION PROJECT WORK



CELLULAR MANUFACTURING SYSTEM



Stainless Steel Pipe

Lean Pipe

ESD Compound Pipe

Coloured Lean Pipe

HJ-1P COLOR: ● BK ● ZN ● CN ● NI

W-1:2 pcs
M6*25:1 set

HJ-1A COLOR: ● BK ● ZN ● CN ● NI

W-1A:2 pcs
M6*25:1 set

HJ-2P COLOR: ● BK ● ZN ● CN ● NI

W-2:1 pcs W-3:1 pcs
M6*25:2set

HJ-3P COLOR: ● BK ● ZN ● CN ● NI

W-2:2 pcs W-4:1 pcs
M6*25:3set

HJ-4P COLOR: ● BK ● ZN ● CN ● NI

W-4:2 pcs
M6*25:2set

HJ-5P COLOR: ● BK ● ZN ● CN ● NI

W-2:4 pcs
M6*25:4 set

HJ-6P COLOR: ● BK ● ZN ● CN ● NI

W-7:2 pcs
M6*25:1set

HJ-7A COLOR: ● BK ● ZN ● CN ● NI

W-7A:2 pcs
M6*25:1set



HJ-7P COLOR: ● BK ● ZN ● CN ● NI

W-5:2 pcs W-6:2 pcs
M6*25:2set

HJ-7A COLOR: ● BK ● ZN ● CN ● NI

W-6A:4 pcs
M6*25:2set

28MM TUBE 28MM 管

HJ-8P COLOR: ● BK ● ZN ● CN ● NI

W-9:2 pcs WJP-12:2 pcs
M6*25:1set

HJ-9P COLOR: ● BK ● ZN ● CN ● NI

W-10A:1 pcs W-10B:1 pcs
M6*25:1 set

HJ-10P COLOR: ● BK ● ZN ● CN ● NI

W-12:2 pcs WJP-12:1 pcs
M6*25:1set

HJ-11P COLOR: ● BK ● ZN ● CN ● NI

W-13:2 pcs
M6*25:1set

HJ-11A COLOR: ● BK ● ZN ● CN ● NI

W-13A:2 pcs
M6*25:1set

HJ-12P COLOR: ● BK ● ZN ● CN ● NI

W-6:4 pcs W-14:3 pcs
M6*25:4set

HJ-13P COLOR: ● BK ● ZN ● CN ● NI

W-15A:1 pcs W-15B:1 pcs
M6*12:1set

HJ-14P-30 COLOR: ● BK ● ZN ● CN ● NI

W-8-30:2 pcs
M6*25:1set


HEAVY DUTY & SLOTTED ANGLE RACK

(FOR MATERIAL'S STORAGE)



- ✓ Light shelf can bear 50-150kg/ layer, heavy shelf can bear 200-800kg/layer.
- ✓ The column and beam are hanging structure, all of them are plug-in assembly type, the structure is firm, the spacing of each layer can be adjusted freely, the spacing of the layers can be adjusted up and down 50mm, the number of layers can be increased or decreased according to the need.
- ✓ The layer can be selected steel plate, wooden board, medium dense board and other materials. Suitable for factory, enterprise, supermarket warehouse, store warehouse use. Large storage capacity, strong bearing capacity.

ALUMINUM PROFILES & ACCESSORIES



OFFICE WORKING TABLES



ESD WORK-STATION TABLE



MODULAR CLEAN ROOM



CLEAN ROOM WITH AIR SHOWER




Man Air-Shower



Cargo Air-Shower

MODULAR CLEAN ROOM'S ACCESSORIES



FFU (Fan Filter Unit)

MODULAR CLEAN ROOM'S FLOORING



Size - 2 Meter * 15 Meter
Color -Green/Blue/Grey
Thickness - 2 mm
Layer - 2 Layer/3 Layer
Resistivity- 10^6 - 10^9 Ohm

ESD Vinyl Mat



Size - 600*600 mm
Color - As per Part Code number
Thickness - 2 mm
Resistivity - 10^6 - 10^9 Ohm

ESD Flooring Tile & Epoxy Flooring



Color- Green/Sky Blue/Grey
(Any Color Optional)
Thickness- 2 mm/3 mm
Resistivity - 10^6 - 10^9 Ohm

SMT STENCIL STORAGE RACK



- ✓ Choose Q195 carbon steel, durable. Surface metallic luster, bright and clean.
- ✓ Simple installation without tools.
- ✓ The distance between the upper floors can be adjusted at will Automatic welding technology, smooth and firm without burrs.
- ✓ Can be matched with adjustable foot cups and casters, suitable for various production.

PNEUMATIC FITTINGS

Pneumatic Fittings Standard Configurations -

- ✓ Tube to Tube – Straight, Elbow, Tee, Cross, Bulk Head
- ✓ Tube to Male – Male Stud, Male Elbow, Male Tee
- ✓ Female Connector – Female Straight, Elbow, Tee
- ✓ Positional Elbow & Tee (Swivel)
- ✓ Tube Closure – Plug, Cap
- ✓ Weld Connector, Nut & Ferrule Set



Metric Size Tube

MODEL	Tube Size	Description
PE 04	4mm	Union Tee 4mm
PE 06	6mm	Union Tee 6mm
PE 08	8mm	Union Tee 8mm
PE 10	10mm	Union Tee 10mm
PE 12	12mm	Union Tee 12mm
PE 14	14mm	Union Tee 14mm
PE 16	16mm	Union Tee 16mm

Inch Size Tube


MODEL	Tube Size	Description
PE 5/32	5/32"	Union Tee 5/32"
PE 1/4	1/4"	Union Tee 1/4"
PE 5/16	5/16"	Union Tee 5/16"
PE 3/8	3/8"	Union Tee 3/8"
PE 1/2	1/2"	Union Tee 1/2"



APPLICATIONS OF PNEUMATIC FITTINGS



- ✓ Fuel lines for petrol or diesel fuel in automobile and transparent industry
- ✓ Compressed air lines on pneumatic control systems
- ✓ Automotive gasoline lines
- ✓ Agricultural spray equipment for insecticides and fertilizers
- ✓ Transporting lines for alimentary liquids such as milk and beer and biological liquid such as blood, serum
- ✓ In the chemical industries for conveying hydrocarbons, esters, ketone
- ✓ Refrigeration lines
- ✓ Ducts in air conditioning systems
- ✓ Centralized lubrication systems
- ✓ Automotive gasoline lines
- ✓ Automotive hydraulic lines
- ✓ High pressure lubricating oil lines in engineering and automobile Industry
- ✓ Lubes and air lines on textile machinery.



RTV SILICONE ADHESIVE & IT'S MACHINE



From sealing leaks to creating molds and bonding surfaces, RTV silicone is a go-to choice across industries.


RTV silicones seal engine gaskets, oil pans, and transmission pans; bond weather-stripping; encapsulate electronic components; mold rubber parts such as grommets and seals. RTV Silicone Adhesive Sealant is a general purpose, clear RTV indoor/outdoor sealant that seals, bonds, repairs, mends, and secures glass, metal, plastics, fabric, vinyl, weather stripping, and vinyl tops. It can be applied to horizontal or vertical surfaces. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor. Avoid prolonged exposure. Use personal protective equipment as required.



SPM (SPECIAL PURPOSE MACHINE)



Model No- Z Cut - 2



Model No- Z Cut - 9

Automatic Tape Dispenser



Ionizer Air Gun

- ✓ Air Pressure - 70 - 100 psi
- ✓ **Model Name/Number - SL-007**
- ✓ Brand - Dr. Schneider
- ✓ Air Consumption - 8 - 9 (cfm)
- ✓ Nozzle Size - 14 mm
- ✓ Body Material - Stainless Steel
- ✓ Color - Grey

SEMI AUTOMATIC SCREW MACHINES



**HAND HELD SCREW
MACHINE**



**HAND HELD OPERATIONAL
FOOT PEDAL & FIXTURE**



FOR OPTICAL FRAME SCREW'S

SASM -
for Optical
Frame Screw's





Mr. Prashant Sisodiya

7532003908

Mr. Hemant Singh Khetwal

7060951691

Mr. Pawan Pundhir

9634705610

PGS Industries Solutions Private Limited

Main Road, Surajpur, Greater Noida, Uttar Pradesh 201306

GST No - 09AAOCP7507N1ZM

CIN No - U95299UP2024PTC202979

pgsindustriessolutions01@gmail.com, pgsindustriessolutions@gmail.com